

琉球大学学術リポジトリ

Inhibition of heat shock protein-90 modulates multiple functions required for survival of human T-cell leukemia virus type I-infected T-cell lines and adult T-cell leukemia cells

メタデータ	言語: 出版者: Wiley-Liss, Inc. 公開日: 2007-03-08 キーワード (Ja): キーワード (En): ATL, HTLV-I, 17-AAG, Hsp90, client protein 作成者: Kawakami, Hirochika, Tomita, Mariko, Okudaira, Taeko, Chie, Ishikawa, Matsuda, Takehiro, Tanaka, Yuetsu, Nakazato, Tetsuro, Taira, Naoya, Ohshiro, Kazuiku, Mori, Naoki メールアドレス: 所属:
URL	http://hdl.handle.net/20.500.12000/271





FIGURE 1, Kawakami H. et al.





FIGURE 2, Kawakami H. et al.




a**b**

FIGURE 3, Kawakami H. et al.



a**b**

FIGURE 4, Kawakami H. et al.




FIGURE 4, Kawakami H. et al.




FIGURE 5, Kawakami H. et al.




FIGURE 5, Kawakami H. et al.




FIGURE 6, Kawakami H. et al.

b




FIGURE 6, Kawakami H. et al.




FIGURE 7, Kawakami H. et al.




FIGURE 8, Kawakami H. et al.




FIGURE 9, Kawakami H. et al.