

# 琉球大学学術リポジトリ

## 退職教員紹介

メタデータ	言語: ja 出版者: 琉球大学理学部 公開日: 2022-10-04 キーワード (Ja): キーワード (En): 作成者: メールアドレス: 所属:
URL	<a href="http://hdl.handle.net/20.500.12000/0002019512">http://hdl.handle.net/20.500.12000/0002019512</a>

# 退職教員紹介



仲間 隆男  
(物質地球科学科 物理系)



#### 略歴

- 1975年4月 琉球大学工学部物理学科入学
- 1985年3月 琉球大学理学部物理学科卒業
- 1985年4月 琉球大学大学院理学研究科物理学専攻修士課程入学
- 1987年3月 同上 修了
- 1987年4月 株式会社富士通ゼネラル入社
- 1992年3月 同上 退社
- 1992年4月 琉球大学理学部・教養部 非常勤講師
- 1994年2月 琉球大学理学部助手
- 1996年7月 琉球大学理学部講師
- 2000年6月 博士(学術) (広島大学)
- 2001年3月 琉球大学理学部助教授
- 2004年8月 琉球大学理学部教授
- 2022年3月 琉球大学理学部定年

## 論文・著書 (Article)

- K. Yagasaki, **T. Nakama**, N. Nakama: Paramagnetic Hall effect in the cubic compounds of  $\text{RAg}_{1-x}\text{In}_x$ , *J. Magn. Magn. Mater.*, 90&91, 577-579 (1990.12).
- K. Yagasaki, **M. Hedo**, **T. Nakama**: Reentrant superconductivity of  $\text{CeRu}_2$ , *J. Phys. Soc. Jpn.*, 62, 3825-3828 (1993.11).
- K. Yagasaki, **M. Hedo**, **T. Nakama**, E. Sakai, H. Niki: Field induced superconductivity of  $\text{CeRu}_2$ , *Physica B*, 194-196, 2089-2090 (1994.2).
- T. Nakama**, K. Yagasaki, R. Resel: Magnetic susceptibility of  $\text{CeAg}_{1-x}\text{In}_x$ , *J. Magn. Magn. Mater.*, 140-144, 1105-1106 (1995.2).
- K. Yagasaki, K. Yano, R. Resel, **T. Nakama**: The magnetic behavior of  $\text{U}_6\text{Fe}$  in the superconducting state, *J. Magn. Magn. Mater.*, 140-144, 1357-1358 (1995.2).
- H. Goshima, T. Suzuki, T. Fujita, **M. Hedo**, **T. Nakama**, K. Yagasaki: Thermal and elastic properties of superconducting  $\text{CeRu}_2$ , *Physica B*, 206&207, 193 (1995.2).
- R. Resel, **M. Hedo**, **T. Nakama**, K. Yagasaki, E. Gratz, R. Hauser, A. S. Markosyan: Study of the magnetic order in  $\text{TmCo}_2$  using ac-susceptibility measurements, *Solid State Commun.*, 95, 735-738 (1995.9).
- T. Nakama**, **M. Hedo**, T. Maekawa, M. Higa, R. Resel, H. Sugawara, R. Settai, Y. Ōnuki, K. Yagasaki: Evidence of multiple superconducting phases in  $\text{CeRu}_2$ , *J. Phys. Soc. Jpn.*, 64, 1471-1475 (1995.5)
- R. Resel, E. Gratz, A.T. Burkov, **T. Nakama**, M. Higa, K. Yagasaki: Thermopower measurements in magnetic fields up to 17 tesla using a toggled heating method, *Rev. Sci. Instrum.*, 64, 1970-1975 (1996.6).
- T. Ekino, H. Fujii, **T. Nakama**, K. Yagasaki: Tunneling measurements of the superconducting gap in  $\text{CeRu}_2$ , *Czech. J. Phys.*, 46, 783-784 (1996.2).
- K. Yagasaki, **T. Nakama**, M. Higa, E. Sakai, A. T. Burkov, E. Gratz, R. Resel: Thermopower of  $\text{GdAl}_2$  with seesaw heating system, *Suppl. J. Phys. Soc. Jpn.*, 65, 181-187 (1996.10).
- K. Yagasaki, **T. Nakama**, H. Niki, E. Sakai: Effect of  $5d-e_g$  population in  $\text{CeAg}_{1-x}\text{In}_x$ , *physica B*, 239, 77-82 (1997.8).
- T. Ekino, H. Fujii, **T. Nakama**, K. Yagasaki: Electron tunneling into superconducting  $\text{CeRu}_2$ , *Phys. Rev. B*, 56, 7851-7854 (1997.10).

- T. Nakama**, T. Kohama, T. Shimoji, Y. Uwatoko, T. Ohki, H. Fujii, A. T. Burkov, K. Yagasaki: Thermopower of Fe<sub>2</sub>P in magnetic fields up to 15 T, *J. Magn. Magn. Mater.*, 177-181, 1369-1370 (1998.1).
- T. Nakama**, Y. Uwatoko, T. Kohama, A. T. Burkov, H. Yoshida, S. Abe, T. Kaneko, N. Mori, K. Yagasaki: Pressure effect on superconducting transition temperature of Ce<sub>1-x</sub>La<sub>x</sub>Ru<sub>2</sub>, *J. Magn. Magn. Mater.*, 177-181, 425-426 (1998.1).
- A. T. Burkov, **T. Nakama**, K. Kohama, T. Shimoji, K. Shintani, R. Shimabukuro, K. Yagasaki: The effect of magnetic field and Al-content on resistivity and thermopower of Y(Al<sub>x</sub>Co<sub>1-x</sub>)<sub>2</sub> alloys, *J. Magn. Magn. Mater.*, 177-181, 1067-1068 (1998.1).
- A. T. Burkov, **T. Nakama**, T. Kohama, T. Shimoji, K. Shintani, R. Shimabukuro, K. Yagasaki, E. Gratz: Contribution of spin-fluctuations to the low-temperature resistivity and thermopower of YCo<sub>2</sub>, *J. Magn. Magn. Mater.*, 177-181, 1069-1070 (1998.1).
- T. Nakama**, K. Shintani, K. Yagasaki, A. T. Burkov, Y. Uwatoko: Positive magnetoresistivity in a localized-moment ferromagnet with itinerant spin fluctuations: TmCo<sub>2</sub>, *Phys. Rev. B*, 60, 511-522 (1999.7).
- T. Nakama**, K. Shintani, **M. Hedo**, H. Niki, A. T. Burkov, K. Yagasaki: Localization of Co-3d electrons in Y(Co<sub>1-x</sub>Al<sub>x</sub>)<sub>2</sub> paramagnetic alloys with itinerant spin fluctuation, *Physica B*, 281&282, 699-700 (2000.6).
- A. T. Burkov, **T. Nakama**, K. Shintani, K. Yagasaki, N. Matsumoto, S. Nagata: Anomalous electronic transport in CuIr<sub>2</sub>S<sub>4</sub> and CuIr<sub>2</sub>Se<sub>4</sub>, *Physica B*, 281&282, 629-630 (2000.6).
- M. Hedo**, **T. Nakama**, A. T. Burkov, K. Yagasaki, Y. Uwatoko, H. Takahashi, T. Nakanishi, N. Mori: Pressure induced structural phase transition of CeRu<sub>2</sub>, *Physica B*, 281&282, 88-89 (2000.6).
- A. T. Burkov, **T. Nakama**, **M. Hedo**, K. Shintani, K. Yagasaki, M. Matsumoto, S. Nagata: Anomalous resistivity and thermopower of the spinel-type compounds CuIr<sub>2</sub>S<sub>4</sub> and CuIr<sub>2</sub>Se<sub>4</sub>, *Phys. Rev. B*, 61, 10049-10056 (2000.6).
- A. T. Burkov, A. Heinrich, P. P. Konstantinov, **T. Nakama**, K. Yagasaki: Experimental set-up for thermopower and resistivity measurements at 100-1300 K, *Meas. Sci. Technol.*, 12, 264-272 (2001.1).
- T. Nakama**, A. T. Burkov, **M. Hedo**, H. Niki, K. Yagasaki: Magnetotransport in Y<sub>1-x</sub>Gd<sub>x</sub>Co<sub>2</sub> pseudobinary alloys, *J. Magn. Magn. Mater.*, 226-230, 671-673 (2001.5).
- A. T. Burkov, **T. Nakama**, **M. Hedo**, H. Niki, K. Yagasaki: Magnetoresistivity of itinerant

electron metamagnets:  $\text{RCO}_2$  and  $\text{Y}(\text{Co}_{1-x}\text{Al}_x)_2$  compounds ( $\text{R}=\text{Y}$ ,  $\text{Lu}$  and  $\text{Sc}$ ), *J. Magn. Magn. Mater.*, 226-230, 677-679 (2001.5).

K. Yagasaki, **T. Nakama**, **M. Hedo**, A. T. Burkov, M. Matsumoto, S. Nagata: Coulomb correlations and two-channel conduction in  $\text{CuIr}_2\text{S}_4$  and  $\text{CuIr}_2\text{Se}_4$  compounds, *J. Magn. Magn. Mater.*, 226-230, 244-245 (2001.5).

K. Yagasaki, **T. Nakama**, **M. Hedo**, K. Uchima, Y. Shimoji, N. Matsumoto, S. Nagata, H. Okada, H. Fujii, A. T. Burkov: Transport properties of  $\text{Cu}_{1-x}\text{Zn}_x\text{Ir}_2\text{S}_4$  spinel compounds, *J. Phys. Chem. Sol.*, 63, 1051-1054 (2002.6-8).

**T. Nakama**, **M. Hedo**, A. Sawada, Y. Shimoji, M. Tokumura, K. Uchima, K. Yagasaki, A. T. Burkov: Thermopower of  $\text{ErCo}_2$  in magnetic fields up to 15 T, *Physica B*, 312-313, 867-869 (2002.3).

A. T. Burkov, A. Yu. Zyuzin, **T. Nakama**, K. Yagasaki, J. Schumann, H. Vinzelberg: Magneto transport in  $(\text{Y}_x\text{Gd}_{1-x})\text{Co}_2$  alloys near to magnetic phase boundary, *Physica B*, 329-333, 543-544 (2003.5).

**T. Nakama**, M. Tokumura, K. Uchima, **M. Hedo**, Y. Uwatoko, K. Yagasaki, A. T. Burkov: Field effect on itinerant electron magnetism of  $\text{Y}_{1-x}\text{Er}_x\text{Co}_2$  compounds, *Physica B*, 329-333, 952-954 (2003.5).

K. Yagasaki, S. Notsu, Y. Shimoji, **T. Nakama**, R. kaji, T. Yokoo, J. Akimitsu, **M. Hedo**, Y. Uwatoko: Resistivity and thermopower of  $\text{CaB}_6$  single crystal, *Physica B*, 329-333, 1259-1260 (2003.5).

A. T. Burkov, A. Yu. Zyuzin, **T. Nakama**, K. Yagasaki: Anomalous magnetotransport in disordered  $(\text{Y}_{1-x}\text{Gd}_x)\text{Co}_2$  alloys: interplay of disorder and itinerant metamagnetism, *Phys. Rev. B*, 69, 144409 (1-6) (2004.4).

**T. Nakama**, K. Uchima, **M. Hedo**, T. Fujiwara, H. Fujii, A. T. Burkov, K. Yagasaki: The effect of magnetic field on thermopower of  $\text{CeFe}_2$ , *J. Magn. Magn. Mater.*, 272-276, e485-e486 (2004.5).

A. T. Burkov, A. Yu. Zyuzin, **T. Nakama**, K. Yagasaki: Thermopower of  $(\text{Y}_x\text{Gd}_{1-x})\text{Co}_2$  alloys in a vicinity of zero-temperature magnetic phase boundary, *J. Magn. Magn. Mater.*, 272-276, e1083-e1084 (2004.5).

A. T. Burkov, A. Yu. Zyuzin, **T. Nakama**, K. Yagasaki: Disorder induced positive magnetoresistivity in itinerant metamagnets, *J. Magn. Magn. Mater.*, 272-276, e1081-e1082 (2004.5).

- K. Yagasaki, M. Misashi, S. Notsu, Y. Shimoji, K. Uchima, H. Niki, **T. Nakama**, **M. Hedo**, Y. Uwatoko, A. T. Burkov: Transport properties of  $Y_xHo_{1-x}Co_2$  in magnetic field, *J. Magn. Magn. Mater.*, 272-276, e345-e346 (2004.5).
- A. T. Burkov, H. Vinzelberg, J. Schumann, **T. Nakama**, K. Yagasaki: Strongly non-linear electronic transport in Cr-Si composite films, *J. Appl. Phys.*, 95, 7903-7907 (2004.6).
- M. Imai, T. Naka, T. Furubayashi, H. Abe, **T. Nakama**, K. Yagasaki: Electrical properties of polycrystalline  $SrSi_2$ , *Appl. Phys. Lett.*, 86, 032102 (2005.1).
- T. Nakama**, Y. Takaesu, K. Yagasaki, T. Naka, A. Matsushita, K. Fukuda, Y. Yamada: Transport properties of Heusler compounds  $Fe_{3-x}V_xAl$ , *J. Phys. Soc. Jpn.*, 74, 1378-1381 (2005.5).
- T. Suzuyama, J. Awaka, H. Yamamoto, S. Ebisu, M. Ito, T. Suzuki, **T. Nakama**, K. Yagasaki, S. Nagata: Ferromagnetic-phase transition in the spinel-type  $CuCr_2Te_4$ , *J. Solid State Chem.*, 179, 140-144 (2006.1).
- K. Uchima, **T. Nakama**, M. Misashi, Y. Takaesu, K. Yagasaki, **M. Hedo**, Y. Uwatoko, A. T. Burkov: Transport properties of  $Y_{1-x}R_xCo_2$  (R=Er, Ho) in magnetic field, *J. Alloys Comp.*, 408-412, 368-370 (2006.2).
- S. Notsu, Y. Shimoji, **M. Hedo**, Y. Uwatoko, **T. Nakama**, H. Ido, K. Yagasaki: Transport properties of  $Ce_2Co_7B_3$  in magnetic field, *J. Phys. Soc. Jpn.*, 75, 044714(1-7) (2006.4).
- T. Nakama**, Y. Takaesu, K. Yagasaki, E. Sakai, N. Kurita, **M. Hedo**, Y. Uwatoko, A. T. Burkov: Pressure effect on electrical resistivity of  $Y_{1-x}Gd_xCo_2$ , *Physica B*, 378-380, 169-170 (2006.5).
- K. Yagasaki, S. Notsu, Y. Takaesu, **T. Nakama**, E. Sakai, K. Koyama, K. Watababe, A. T. Burkov: X-Ray diffraction on rare earth-3d Laves phase compound  $ErCo_2$  in magnetic field, *Physica B*, 378-380, 1089-1090 (2006.5).
- K. Yagasaki, **T. Nakama**, **M. Hedo**, Y. Uwatoko, Y. Shimoji, S. Notsu, K. Uchima, N. Matsumoto, S. Nagata, H. Okada, H. Fujii, H. Yoshida, H. M. Kimura, Y. Yamaguchi, A. T. Burkov: Hopping conductivity in  $CuIr_2S_4$  spinel compounds (1) - Empirical model for electronic configuration and mechanism of metal-insulator transition -, *J. Phys. Soc. Jpn.*, 75, 074706(1-10) (2006.7).
- T. Naka, T. Adachi, K. Fukuda, Y. Yamada, Y. Takaesu, **T. Nakama**, K. Yagasaki, A. Matsushita: Transport and magnetic properties in the Heusler type  $Fe_{2+x}V_{1-x}Al$  under high pressure, *J. Magn. Magn. Mater.*, 310, e1059-e1061 (2007.3).
- K. Yagasaki, **T. Nakama**: Diamagnetism in spinel compound  $CuIr_2S_4$ , *J. Magn. Magn. Mater.*,



310, e904-e906 (2007.3).

- A. T. Burkov, A. Yu. Zyuzin, **T. Nakama**, Y. Takaesu, M. Takeda, K. Yagasaki: Anomalous transport in itinerant metamagnets with structural disorder, *J. Magn. Magn. Mater.*, **310**, e322-e324 (2007.3).
- T. Nakama**, K. Uchima, Y. Takaesu, K. Yagasaki, **M. Hedo**, Y. Uwatoko, A. T. Burkov: Pressure effect on thermopower of  $Y_{1-x}Gd_xCo_2$  system, *J. Magn. Magn. Mater.*, **310**, e1879-e1881 (2007.3).
- T. Nakama**, D. Nakamura, K. Hasegawa, K. Yagasaki, Y. Yamashiro, R. Endoh, S. Nagata: Transport properties of  $CuIrCrS_4$  spinel compound under hydrostatic pressure, *J. Phys. Soc. Jpn. Suppl. A*, **76**, 35-36 (2007.9).
- Y. Takaesu, **T. Nakama**, M. Takeda, D. Nakamura, **M. Hedo**, K. Yagasaki, Y. Uwatoko, Y. Yamashiro, A. T. Burkov: Pressure and Magnetic field effects on electrical resistivity and thermopower of  $Y_{1-x}Tb_xCo_2$  system, *J. Phys. Soc. Jpn.*, **77**, 064704 (1-6) (2008.6).
- A. T. Burkov, E. Bauer, E. Gratz, R. Resel, **T. Nakama**, K. Yagasaki: Effect of static and dynamic disorder on electronic transport in  $RCO_2$  compounds:  $Ho(Al_xCo_{1-x})_2$  alloys, *Phys. Rev. B*, **7**, 035101(1-10) 8 (2008.7).
- T. Nakama**, **M. Hedo**, D. Nakamura, Y. Takaesu, K. Yagasaki, T. Fujiwara, Y. Uwatoko: Effect of pressure on thermopower and electrical resistivity of  $YbMn_2Ge_2$ , *J. Phys.: Conf. Ser.*, **150**, 042135 (2009.3).
- T. Nakama**, H. Niki, D. Nakamura, Y. Takaesu, **M. Hedo**, K. Yagasaki, K. Uchima, E. Gratz, A. T. Burkov: Electrical resistivity and thermopower of  $ErCo_3$  under hydrostatic pressure, *J. Phys.: Conf. Ser.*, **150**, 042136 (2009.3).
- K. Yagasaki, **T. Nakama**, Y. Takaesu, K. Uchima, Y. Uwatoko, A. T. Burkov, **M. Hedo**: Two-Magnetization Nordheim Model of Randomly Distributed Co Local Sites for the Anomalous Residual Resistivity at the Magnetic Phase Boundary of  $Y_{1-x}R_xCo_2$  System (R: Rare Earth), *J. Phys.: Conf. Ser.*, **150**, 042232 (2009.3).
- K. Uchima, S. Yonamine, A. Kinjyo, Y. Takaesu, **M. Hedo**, **T. Nakama**, K. Yagasaki, A. T. Burkov: Electrical resistivity and thermopower of  $Nd_{1-x}Tb_xCo_2$  compounds, *J. Phys.: Conf. Ser.*, **200**, 032077 (2010.2).
- T. Nakama**, T. Yoshida, A. Ohno, D. Nakamura, **M. Hedo**, K. Yagasaki, K. Uchima, T. Fujiwara, T. Shigeoka: Effect of pressure on thermopower and resistivity of  $EuCo_2P_2$ , *J. Phys.: Conf. Ser.*, **200**, 032050 (2010.2).

- Y. Takaesu, **T. Nakama**, A. Kinjyo, S. Yonamine, **M. Hedo**, K. Yagasaki, K. Uchima, Y. Uwatoko, A. T. Burkov: Effects of pressure and magnetic field on transport properties of  $Y_{1-x}R_xCo_2$  alloys (R=Gd, Tb, Dy, Ho and Er), *J. Phys.: Conf. Ser.*, 215, 012039 (2010.3).
- M. Hedo**, D. Nakamura, Y. Takaesu, T. Fujiwara, K. Uchima, K. Yagasaki, **T. Nakama**: Thermopower measurement under high pressure using “seesaw heating method”, *J. Phys.: Conf. Ser.*, 215, 012186 (2010.3).
- K. Sato, T. Naka, M. Taguchi, T. Nakane, F. Ishikawa, Y. Yamada, Y. Takaesu, **T. Nakama**, A. de Visser, A. Matsushita: Weak itinerant ferromagnetism in Heusler type  $Fe_2VAl_{0.95}$ , *Phys. Rev. B*, 82, 104408(1-8) (2010.3).
- A. T. Burkov, **T. Nakama**, K. Yagasaki: Electronic transport in itinerant metamagnets with strong static disorder, *Solid State Phenom.*, 521, 168-169 (2011.1).
- K. Uchima, Y. Takaesu, S. Yonamine, M. Takeda, **M. Hedo**, **T. Nakama**, K. Yagasaki, Y. Uwatoko, A. T. Burkov: Pressure effect on transport and magnetic properties of  $Nd_{1-x}Tb_xCo_2$ , *J. Phys.: Conf. Ser.*, 273, 012130 (2011.2).
- Y. Takaesu, **N. Aso**, Y. Tamaki, **M. Hedo**, **T. Nakama**, K. Uchima, Y. Ishikawa, K. Deguchi, N. K. Sato: Effect of pressure on transport properties of  $CeIrIn_5$ , *J. Phys.: Conf. Ser.*, 273, 012058 (2011.2).
- T. Nakama**, Y. Takaesu, T. Naka, A. Matsushita, Y. Yamada, K. Yagasaki: Electrical resistivity and thermopower of the Heusler compound  $Fe_{1.98}V_{1.02}Al$ , *J. Phys. Soc. Jpn. Suppl. A*, 80, SA115(1-3) (2011.1).
- K. Uchima, C. Zukeran, A. Nakamura, N. Arakaki, S. Komesu, M. Takeda, Y. Takaesu, **M. Hedo**, **T. Nakama**, K. Yagasaki, A. T. Burkov: Resistivity and thermopower of  $Ho(Co_{1-x}Al_x)_2$  -Effects of Pressure and Magnetic Field-, *J. Phys. Soc. Jpn. Suppl. A*, 80, SA085(1-3) (2011.1).
- T. Nakano, S. Yonamine, **M. Hedo**, **T. Nakama**, M. Ohashi, N. Takeda, G. Oomi: Seebeck coefficient for concentrated Kondo compound  $CePtSi_2$  under hydrostatic pressure, *J. Phys. Soc. Jpn. Suppl. A*, 80, SA058(1-2) (2011.1).
- K. Uchima, M. Takeda, C. Zukeran, A. Nakamura, N. Arakaki, S. Komesu, H. -G. Flesch, Y. Takaesu, **M. Hedo**, **T. Nakama**, K. Yagasaki, Y. Uwatoko, A. T. Burkov: Pressure effect on transport properties of  $NdCo_2$ , *J. Phys.: Conf. Ser.*, 391, 012110(1-4) (2012.12).
- A. Nakamura, **T. Nakama**, K. Uchima, N. Arakaki, C. Zukeran, S. Komesu, M. Takeda, Y. Takaesu, D. Nakamura, **M. Hedo**, K. Yagasaki, Y. Uwatoko: Effect of pressure on thermopower of  $EuNi_2Ge_2$ , *J. Phys.: Conf. Ser.*, 400, 032106(1-4) (2012.12).

- K. Uchima, M. Takeda, C. Zukeran, A. Nakamura, N. Arakaki, S. Komesu, Y. Takaesu, **M. Hedo**, **T. Nakama**, K. Yagasaki, Y. Uwatoko, A. T. Burkov: Transport properties of  $Y_{1-x}Nd_xCo_2$  compounds, *J. Phys.: Conf. Ser.*, 400, 032107(1-4) (2012.12).
- M. Takeda, A. Teruya, S. Watanabe, S. Hirakawa, Y. Hiranaka, A. Nakamura, Y. Takaesu, K. Uchima, **M. Hedo**, **T. Nakama**, K. Yagasaki, K. Matsubayashi, Y. Uwatoko, A. T. Burkov: Pressure and Substitution Effects on Transport and Magnetic Properties of  $Y_{1-x}R_xCo_2$  Systems with Static Magnetic Disorder: *J. Phys. Soc. Jpn.*, 82, 014708(1-6) (2013.1).
- T. Naka, K. Sato, M. Taguchi, N. Shirakawa, T. Nakane, F. Ishikawa, Y. Yamada, Y. Takaesu, **T. Nakama**, A. Matsushita: Characteristics of a granular electronic system in Heusler-type  $Fe_{2+x}V_{1-x}Al$ , *J. Phys.: Condens. Matter*, 25, 275603 (1-6) (2013.6).
- Y. Hiranaka, A. Nakamura, **M. Hedo**, T. Takeuchi, A. Mori, Y. Hirose, K. Mitamura, K. Sugiyama, M. Hagiwara, **T. Nakama**, Y. Ōnuki: Heavy Fermion State Based on the Kondo Effect in  $EuNi_2P_2$ , *J. Phys. Soc. Jpn.*, 82, 083708(1-4) (2013.8).
- A. Nakamura, Y. Hiranaka, **M. Hedo**, **T. Nakama**, Y. Miura, H. Tsutsumi, A. Mori, K. Ishida, K. Mitamura, Y. Hirose, K. Sugiyama, F. Honda, R. Settai, T. Takeuchi, M. Hagiwara, T. D. Matsuda, E. Yamamoto, Y. Haga, K. Matsubayashi, Y. Uwatoko, H. Harima, Y. Ōnuki: Magnetic and Fermi Surface Properties of  $EuGa_4$ , *J. Phys. Soc. Jpn.*, 82, 104703(1-10) (2013.10).
- A. Nakamura, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Chiral Crystal Structure and Split Fermi Surface Properties in  $TaSi_2$ , *J. Phys. Soc. Jpn.*, 82, 113705(1-5) (2013.11).
- A. Nakamura, Y. Hiranaka, **M. Hedo**, **T. Nakama**, Y. Tatetsu, **T. Maehira**, Y. Miura, A. Mori, H. Tsutsumi, Y. Hirose, K. Mitamura, K. Sugiyama, M. Hagiwara, F. Honda, T. Takeuchi, Y. Haga, K. Matsubayashi, Y. Uwatoko, Y. Ōnuki: Fermi Surface and Magnetic Properties of Antiferromagnet  $EuBi_3$ , *J. Phys. Soc. Jpn.*, 82, 124708(1-6) (2013.12).
- H. A. Tanaka, N. Aso, **M. Hedo**, **T. Nakama**, Y. Takaesu, H. Iida, N. Kimura, H. Aoki: Thermoelectric power in single-crystalline  $CeRhSi_3$ , *J. Korean Phys. Soc.*, 62, 2016-2018 (2013.12).
- T. Nakama**, C. Zukeran, A. Nakamura, A. Teruya, S. Hirakawa, S. Watanabe, Y. Hiranaka, M. Takeda, **M. Hedo**, K. Yagasaki, Y. Takaesu, K. Uchima, A. T. Burkov: Effect of partial magnetic order on resistivity and thermopower of  $Ho(Co_{1-x}Al_x)_2$  alloys, *J. Korean Phys. Soc.*, 63, 372-376 (2013.12).
- A. T. Burkov, M. Takeda, A. Teruya, S. Watanabe, S. Hirakawa, Y. Hiranaka, A. Nakamura, **M. Hedo**, **T. Nakama**, K. Yagasaki, Y. Takaesu, K. Uchima, Y. Uwatoko: Phase diagram and transport properties of  $Y_{1-x}Nd_xCo_2$  pseudo-binary alloys, *J. Korean Phys. Soc.*, 62, 2080-2083 (2013.12).

- S. Araki, Y. Ikeda, T. C. Kobayashi, A. Nakamura, Y. Hiranaka, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Charge Density Wave Transition in  $\text{EuAl}_4$ , *J. Phys. Soc. Jpn.*, 83, 015001(1-2) (2014.1).
- A. Mori, Y. Miura, H. Tsutsumi, K. Mitamura, M. Hagiwara, K. Sugiyama, Y. Hirose, F. Honda, T. Takeuchi, A. Nakamura, Y. Hiranaka, **M. Hedo**, **T. Nakama**, Y. Ōnuki: First-Order Antiferromagnetic Transition and Fermi Surfaces in Semimetal  $\text{EuSn}_3$ , *J. Phys. Soc. Jpn.*, 83, 024008(1-7) (2014.2).
- K. Uchima, N. Arakaki, S. Hirakawa, Y. Hiranaka, T. Uejo, A. Teruya, A. Nakamura, M. Takeda, Y. Takaesu, **M. Hedo**, **T. Nakama**, K. Yagasaki, Y. Uwatoko: Pressure effect on transport properties of  $\text{EuNiGe}_3$ , *JPS Conf. Proc.*, 1, 012015(1-4) (2014.3).
- T. Kawasaki, K. Kaneko, **N. Aso**, A. Nakamura, **M. Hedo**, **T. Nakama**, Y. Ōnuki, T. Ohhara, R. Kiyonagi, K. Oikawa, I. Tamura, A. Nakao, K. Munakata, T. Hanashima: Single Crystal Neutron Diffraction Study of High Neutron Absorbing Compound  $\text{EuGa}_4$ , *JPS Conf. Proc.*, 1, 014009(1-4) (2014.3).
- A. Nakamura, T. Takeuchi, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: De Haas-van Alphen Effect and Fermi Surface Properties of  $\text{EuPd}_3$  with the Trivalent Electronic State, *J. Phys. Soc. Jpn.*, 83, 053708(1-4) (2014.5).
- Y. Ōnuki, A. Nakamura, T. Uejo, A. Teruya, **M. Hedo**, **T. Nakama**, F. Honda, H. Harima: Chiral-structure-driven Split Fermi Surface Properties in  $\text{TaSi}_2$ ,  $\text{NbSi}_2$ , and  $\text{VSi}_2$ , *J. Phys. Soc. Jpn.*, 83, 061018(1-6) (2014.6).
- M. Hedo**, Y. Miura, A. Mori, H. Tsutsumi, Y. Hirose, F. Honda, T. Takeuchi, A. Nakamura, Y. Hiranaka, **T. Nakama**, H. Harima, Y. Ōnuki: Fermi Surface and Magnetic Properties of Ferromagnet  $\text{EuRu}_2\text{P}_2$ , *JPS Conf. Proc.*, 3, 011010(1-8) (2014.6).
- Y. Hiranaka, A. Nakamura, **M. Hedo**, T. Takeuchi, K. Matsubayashi, Y. Uwatoko, **T. Nakama**, Y. Ōnuki: Heavy Fermion State in  $\text{EuNi}_2\text{P}_2$  under Pressure, *JPS Conf. Proc.*, 3, 011011(1-6) (2014.6).
- A. Nakamura, Y. Hiranaka, **M. Hedo**, **T. Nakama**, Y. Miura, H. Tsutsumi, A. Mori, K. Ishida, K. Mitamura, Y. Hirose, K. Sugiyama, F. Honda, T. Takeuchi, T. D. Matsuda, E. Yamamoto, Y. Haga, Y. Ōnuki: Unique Fermi Surface and Emergence of Charge Density Wave in  $\text{EuGa}_4$  and  $\text{EuAl}_4$ , *JPS Conf. Proc.*, 3, 011012(1-6) (2014.6).
- K. Uchima, N. Arakaki, S. Hirakawa, Y. Hiranaka, T. Uejo, A. Teruya, A. Nakamura, M. Takeda, Y. Takaesu, **M. Hedo**, **T. Nakama**, K. Yagasaki, E. Sakai, K. Matsubayashi, Y. Uwatoko: Magnetism and Transport Properties of  $\text{EuNiSi}_3$ , *JPS Conf. Proc.*, 3, 011016(1-5) (2014.6).
- D. Nakamura, **M. Hedo**, K. Uchima, Y. Takaesu, **T. Nakama**, K. Yagasaki, T. Fujiwara,

- T. Shigeoka, T. Matsumoto, Y. Uwatoko: Effects of Pressure and Magnetic Field on Transport Properties of  $\text{EuCo}_2\text{P}_2$ , JPS Conf. Proc., 3, 011036(1-6) (2014.6).
- Y. Homma, A. Nakamura, Y. Hirose, **M. Hedo**, **T. Nakama**, D. X. Li, F. Honda, Y. Ōnuki, D. Aoki: Antiferromagnetic Order of  $\text{EuGa}_4$  Probed by Mössbauer Spectroscopy, JPS Conf. Proc., 3, 011082(1-6) (2014.6).
- M. Takeda, A. Teruya, T. Uejo, Y. Hiranaka, A. Nakamura, Y. Takaesu, K. Uchima, **M. Hedo**, **T. Nakama**, Y. Ōnuki, K. Yagasaki, K. Matsubayashi, Y. Uwatoko, A. T. Burkov: Transport Properties of  $\text{Y}_{1-x}\text{Nd}_x\text{Co}_2$  in Magnetic Field, JPS Conf. Proc., 3, 017013(1-6) (2014.6).
- A. Nakamura, Y. Hiranaka, T. Uejo, T. Takeuchi, F. Honda, H. Harima, K. Matsubayashi, Y. Uwatoko, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Magnetic and Fermi Surface Properties of Antiferromagnet  $\text{EuCd}_{11}$ , J. Phys. Soc. Jpn., 83, 074714(1-7) (2014.7).
- A. Teruya, A. Nakamura, T. Takeuchi, H. Harima, K. Uchima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: De Haas–van Alphen Effect and Fermi Surface Properties in Nearly Ferromagnet  $\text{SrCo}_2\text{P}_2$ , J. Phys. Soc. Jpn., 83, 113702(1-4) (2014.11).
- T. Takeuchi, A. Nakamura, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Contribution of  $J$ -Multiplet Levels to the Physical Properties of  $\text{EuPd}_3$  with the Trivalent Electronic State, J. Phys. Soc. Jpn., 83, 114001(1-8) (2014.11).
- K. Uchima, Y. Takaesu, H. Akamine, M. Kakihana, K. Tomori, T. Uejo, A. Teruya, A. Nakamura, **M. Hedo**, **T. Nakama**, K. Yagasaki, K. Matsubayashi, Y. Uwatoko: Magnetic and transport properties of  $\text{EuNi}(\text{Si}_{1-x}\text{Ge}_x)_3$  compounds, J. Phys.: Conf. Ser., 568, 042032(1-5) (2014.12).
- Y. Takaesu, K. Uchima, S. Nakamura, **M. Yogi**, H. Niki, **M. Hedo**, **T. Nakama**, S. Tomiyoshi: Transport properties of Heusler Compound  $\text{Mn}_3\text{Si}$  under high pressure, J. Phys.: Conf. Ser., 568, 042033(1-4) (2014.12).
- M. Takeda, A. Teruya, A. Nakamura, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: De Haas–van Alphen Effect in  $\text{Rh}_2\text{Ga}_9$  and  $\text{Ir}_2\text{Ga}_9$  without Inversion Symmetry in the Crystal Structure and Related Compounds  $\text{T}_2\text{Al}_9$  (T: Co, Rh, Ir) with Inversion Symmetry, J. Phys. Soc. Jpn., 84, 024701(1-8) (2015.2).
- M. Kakihana, A. Nakamura, A. Teruya, H. Harima, Y. Haga, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Split Fermi Surface Properties based on the Relativistic Effect in Superconductor  $\text{PdBiSe}$  with the Cubic Chiral Crystal Structure, J. Phys. Soc. Jpn., 84, 033701(1-4) (2015.3).
- K. Uchima, A. Teruya, Y. Takaesu, H. Akamine, M. Kakihana, K. Tomori, T. Uejo, A. Nakamura, **M. Hedo**, **T. Nakama**, K. Yagasaki, A. T. Burkov: Electrical resistivity and thermopower

of  $Y_{1-x}Pr_xCo_2$  Compounds, *J. Phys.: Conf. Ser.*, 592, 012044(1-6) (2015.3).

- M. Hedo**, Y. Hiranaka, A. Nakamura, K. Tomori, F. Honda, Y. Haga, H. Harima, K. Matsubayashi, Y. Uwatoko, **T. Nakama**, Y. Ōnuki: Effect of Pressure on the Electronic state in Eu-Divalent  $EuTIn_4$  (T: Ni, Pd, Pt, Au) Compounds, *J. Phys.: Conf. Ser.*, 592, 012047(1-7) (2015.3).
- A. Nakamura, T. Takeuchi, Y. Tatetsu, **T. Maehira**, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Fermi Surface Properties of Eu-Divalent and Eu-Trivalent Electronic States with the  $AuCu_3$ -type Cubic Structure, *J. Phys.: Conf. Ser.*, 592, 012048(1-6) (2015.3).
- Y. Ōnuki, A. Nakamura, D. Aoki, M. Boukahil, Y. Haga, T. Takeuchi, H. Harima, **M. Hedo**, **T. Nakama**: Mass Enhancement of Nearly Trivalent Compound  $EuCo_2Si_2$ : Studied by the de Haas-van Alphen Experiments and Energy Band Calculations, *J. Phys.: Conf. Ser.*, 592, 012049(1-8) (2015.3).
- A. T. Burkov, A. I. Fedotov, A. A. Kasyanov, R. I. Pantelev, **T. Nakama**: Methods and technique of thermopower and electrical conductivity measurements of thermoelectric materials at high temperatures, *Scientific and Technical Journal of Information Technologies, Mechanics and Optics*, 15, 173-195 (2015.3-4). (in Russian)
- A. Teruya, M. Takeda, A. Nakamura, H. Harima, Y. Haga, K. Uchima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Characteristic Fermi Surface Properties of  $V_2Ga_5$ ,  $CoGa_3$ ,  $TiGa_3$ ,  $ZrGa_3$ , and  $ZrAl_3$  with Different Tetragonal Structures, *J. Phys. Soc. Jpn.*, 84, 054703(1-15) (2015.5).
- A. Nakamura, T. Okazaki, M. Nakashima, Y. Amako, K. Matsubayashi, Y. Uwatoko, S. Kayama, T. Kagayama, K. Shimizu, T. Uejo, H. Akamine, **M. Hedo**, **T. Nakama**, Y. Ōnuki, H. Shiba: Pressure-Induced Valence Transition and Heavy Fermion State in  $Eu_2Ni_3Ge_5$  and  $EuRhSi_3$ , *J. Phys. Soc. Jpn.*, 84, 053701(1-4) (2015.5).
- M. Kakihana, A. Teruya, K. Nishimura, A. Nakamura, T. Takeuchi, Y. Haga, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Split Fermi Surface Properties in Ullmannite  $NiSbS$  and  $PdBiSe$  with the Cubic Chiral Crystal Structure, *J. Phys. Soc. Jpn.*, 84, 094711(1-8) (2015.9).
- M. Kakihana, H. Akamine, T. Yara, A. Teruya, A. Nakamura, T. Takeuchi, **M. Hedo**, **T. Nakama**, Y. Ōnuki, H. Harima: Fermi Surface Properties based on the Relativistic Effect in  $SrBi_3$  with  $AuCu_3$ -type Cubic Structure, *J. Phys. Soc. Jpn.*, 84, 124702(1-7) (2015.12).
- A. Nakamura, T. Uejo, F. Honda, T. Takeuchi, H. Harima, E. Yamamoto, Y. Haga, K. Matsubayashi, Y. Uwatoko, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Transport and Magnetic Properties of  $EuAl_4$  and  $EuGa_4$ , *J. Phys. Soc. Jpn.*, 84, 124711(1-9) (2015.12).

- A. Teruya, A. Nakamura, T. Takeuchi, F. Honda, D. Aoki, H. Harima, K. Uchima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: De Haas-van Alphen Effect and Fermi Surface Properties in Ferromagnet  $\text{LaCo}_2\text{P}_2$  and Related Compounds, *Physics Procedia*, 75, 876-883 (2015.12)
- A. Nakamura, T. Uejo, H. Harima, S. Araki, T. C. Kobayashi, M. Nakashima, Y. Amako, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Characteristic Fermi surfaces and charge density wave in  $\text{SrAl}_4$  and related compounds with the  $\text{BaAl}_4$ -type tetragonal structure, *J. Alloy. Compd.*, 654, 290-299 (2016.1).
- A. Teruya, M. Kakihana, T. Takeuchi, D. Aoki, F. Honda, A. Nakamura, Y. Haga, K. Matsubayashi, Y. Uwatoko, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Superconducting and Fermi Surface Properties of Single Crystal  $\text{Zr}_2\text{Co}$ , *J. Phys. Soc. Jpn.*, 85, 034706(1-10) (2016.2).
- F. Honda, K. Okauchi, A. Nakamura, D. X. Li, D. Aoki, H. Akamine, Y. Ashitomi, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Pressure-Induced Valence Transition and Characteristic Electronic States in  $\text{EuRh}_2\text{Si}_2$ , *J. Phys. Soc. Jpn.*, 85, 063701(1-5) (2016.4).
- A. Teruya, F. Suzuki, D. Aoki, F. Honda, A. Nakamura, M. Nakashima, Y. Amako, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Large Cyclotron Mass and Large Ordered Moment in Ferromagnet  $\text{CoS}_2$  Compared with Paramagnet  $\text{CoSe}_2$ , *J. Phys. Soc. Jpn.*, 85, 064716(1-10) (2016.6).
- A. Nakamura, H. Akamine, Y. Ashitomi, F. Honda, D. Aoki, T. Takeuchi, K. Matsubayashi, Y. Uwatoko, Y. Tatetsu, **T. Maehira**, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Magnetic and Fermi Surface Properties of Ferromagnets  $\text{EuPd}_2$  and  $\text{EuPt}_2$ , *J. Phys. Soc. Jpn.*, 85, 084705 (1-7) (2016.7).
- S. Esakki Muthu, D. Braithwaite, B. Salce, A. Nakamura, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Calorimetry Study of the Phase Diagrams of  $\text{EuNi}_2\text{Ge}_2$  and  $\text{Eu}_2\text{Ni}_3\text{Ge}_5$  under Pressure, *J. Phys. Soc. Jpn.*, 85, 094603 (1-5) (2016.8).
- M. Kobata, S. Fujimori, Y. Takeda, T. Okane, Y. Saitoh, K. Kobayashi, H. Yamagami, A. Nakamura, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Electronic structure of  $\text{EuAl}_4$  studied by photoelectron spectroscopy, *J. Phys. Soc. Jpn.*, 85, 094703 (1-6) (2016.8).
- Y. Ōnuki, A. Nakamura, F. Honda, D. Aoki, T. Tekeuchi, M. Nakashima, Y. Amako, H. Harima, K. Matsubayashi, Y. Uwatoko, S. Kayama, T. Kagayama, K. Shimizu, Esakki S Muthu, D. Braithwaite, B. Salce, H. Shiba, T. Yara, Y. Ashitomi, H. Akamine, K. Tomori, **M. Hedo**, **T. Nakama**: Divalent, trivalent, and heavy fermion states in Eu compounds, *Philos. Mag.*, 97, 3399-3414 (2017.11).
- M. Kakihana, H. Akamine, K. Tomori, K. Nishimura, A. Teruya, A. Nakamura, F. Honda, D. Aoki, M. Nakashima, Y. Amako, K. Matsubayashi, Y. Uwatoko, T. Takeuchi, T. Kida, M. Hagiwara, Y. Haga, E. Yamamoto, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki:

Superconducting, Fermi surface, and magnetic properties in SrTGe<sub>3</sub> and EuTGe<sub>3</sub> (T: transition metal) with the Rashba-type tetragonal structure, *J. Alloy. Compd.*, 694, 439-451 (2017.2).

- M. Nakashima, Y. Amako, K. Matsubayashi, Y. Uwatoko, M. Nada, K. Sugiyama, M. Hagiwara, Y. Haga, T. Takeuchi, A. Nakamura, H. Akamine, K. Tomori, T. Yara, Y. Ashitomi, **M. Hedo, T. Nakama**, Y. Ōnuki: Unique Pressure versus Temperature Phase Diagram for Antiferromagnets Eu<sub>2</sub>Ni<sub>3</sub>Ge<sub>5</sub> and EuRhSi<sub>3</sub>, *J. Phys. Soc. Jpn.*, 86, 034708-14 (2017.2).
- A. Teruya, F. Suzuki, D. Aoki, F. Honda, A. Nakamura, M. Nakashima, Y. Amako, H. Harima, K. Uchima, **M. Hedo, T. Nakama**, Y. Ōnuki: Paramagnet CoSe<sub>2</sub> with the Pyrite-type Cubic Structure, *J. Phys.: Conf. Ser.*, 807, 012001(1-7) (2017.4).
- F. Honda, K. Okauchi, A. Nakamura, D. Aoki, H. Akamine, Y. Ashitomi, **M. Hedo, T. Nakama**, Y. Ōnuki: Pressure Evolution of Characteristic Electronic States in EuRh<sub>2</sub>Si<sub>2</sub> and EuNi<sub>2</sub>Ge<sub>2</sub>, *J. Phys.: Conf. Ser.*, 807, 022004(1-8) (2017.4).
- A. Nakamura, F. Honda, Y. Homma, D. X. Li, K. Nishimura, M. Kakihana, **M. Hedo, T. Nakama**, Y. Ōnuki, D. Aoki: Single Crystal Growth and Superconductivity in La<sub>7</sub>Ni<sub>3</sub> without Inversion Symmetry in the Crystal Structure, *J. Phys.: Conf. Ser.*, 807, 052012(1-5) (2017.4).
- M. Kakihana, K. Nishimura, Y. Ashitomi, T. Yara, D. Aoki, A. Nakamura, F. Honda, M. Nakashima, Y. Amako, Y. Uwatoko, T. Sakakibara, S. Nakamura, T. Takeuchi, Y. Haga, E. Yamamoto, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: Unique Electronic States in Non-centrosymmetric Cubic Compounds, *J. Electron. Mater.*, 46, 3572-3584 (2017.5)
- M. Kakihana, D. Aoki, A. Nakamura, F. Honda, M. Nakashima, Y. Amako, S. Nakamura, T. Sakakibara, **M. Hedo, T. Nakama**, Y. Ōnuki: Giant Hall Resistivity and Magnetoresistance in Cubic Chiral Antiferromagnet EuPtSi, *J. Phys. Soc. Jpn.*, 87, 023701(1-4) (2018.2).
- W. Iha, T. Yara, Y. Ashitomi, M. Kakihana, T. Takeuchi, F. Honda, A. Nakamura, D. Aoki, J. Gouchi, Y. Uwatoko, T. Kida, T. Tahara, M. Hagiwara, Y. Haga, **M. Hedo, T. Nakama**, Y. Ōnuki: Electronic States in EuCu<sub>2</sub>(Ge<sub>1-x</sub>Si<sub>x</sub>)<sub>2</sub> Based on the Doniach Phase Diagram, *J. Phys. Soc. Jpn.*, 87, 064706(1-14) (2018.5).
- T. Takeuchi, T. Yara, Y. Ashitomi, W. Iha, M. Kakihana, M. Nakashima, Y. Amako, F. Honda, Y. Homma, D. Aoki, Y. Uwatoko, T. Kida, T. Tahara, M. Hagiwara, Y. Haga, **M. Hedo, T. Nakama**, Y. Ōnuki: Effects of Magnetic Field and Pressure on the Valence-fluctuating Antiferromagnetic Compound EuPt<sub>2</sub>Si<sub>2</sub>, *J. Phys. Soc. Jpn.*, 87, 074709(1-14) (2018.6).
- F. Honda, K. Okauchi, Y. Sato, A. Nakamura, H. Akamine, Y. Ashitomi, **M. Hedo, T. Nakama**, T. Takeuchi, J. Valenta, J. Prchal, V. Sechovsky, D. Aoki, Y. Ōnuki: Pressure-induced



valence change and moderate heavy fermion state in Eu-compounds, *Physica B*, 536, 182-191 (2018.6).

- K. Nishimura, M. Kakihana, F. Suzuki, T. Yara, **M. Hedo**, **T. Nakama**, Y. Ōnuki, H. Harima: Fermi surfaces properties of AuAl<sub>2</sub>, AuGa<sub>2</sub>, and AuIn<sub>2</sub> with the CaF<sub>2</sub>-type cubic structure, *Physica B: Cond. Matt.*, 536, 643-648 (2018.5).
- K. Nishimura, M. Kakihana, A. Nakamura, D. Aoki, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Fermi surfaces of the pyrite-type cubic AuSb<sub>2</sub> compared with split Fermi surfaces of the ullmannite-type cubic chiral NiSbS and PdBiSe, *Physica B*, 536, 643-648 (2018.6).
- Y. Ashitomi, M. Kakihana, F. Honda, A. Nakamura, D. Aoki, Y. Uwatoko, M. Nakashima, Y. Amako, T. Takeuchi, T. Kida, T. Tahara, M. Hagiwara, Y. Haga, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Magnetic properties and effect of pressure on the electronic state of EuCo<sub>2</sub>Ge<sub>2</sub>, *Physica B*, 536, 192-196 (2018.6).
- T. Yara, M. Kakihana, K. Nishimura, **M. Hedo**, **T. Nakama**, Y. Ōnuki, H. Harima: Small Fermi surfaces of PtSn<sub>4</sub> and Pt<sub>3</sub>In<sub>7</sub>, *Physica B*, 536, 625-633 (2018.6).
- K. Kaneko, M. D. Frontzek, M. Matsuda, A. Nakao, K. Munakata, T. Ohhara, M. Kakihana, Y. Haga, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Unique Helical Magnetic Order and Field-Induced Phase in Trillium Lattice Antiferromagnet EuPtSi, *J. Phys. Soc. Jpn.*, 88, 013702(1-5) (2019) (2019.1).
- S. Shimomura, H. Murao, S. Tsutsui, H. Nakao, A. Nakamura, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Lattice Modulation and Structural Phase Transition in the Antiferromagnet EuAl<sub>4</sub>, *J. Phys. Soc. Jpn.*, 88, 014602(1-5) (2019.1).
- S. Kawakatsu, K. Nakaima, M. Kakihana, Y. Yamakawa, H. Miyazato, T. Kida, T. Tahara, M. Hagiwara, T. Takeuchi, D. Aoki, A. Nakamura, Y. Tatetsu, **T. Maehira**, **M. Hedo**, **T. Nakama**, Y. Ōnuki: De Haas-van Alphen Oscillations for Small Electron Pocket Fermi Surfaces and Huge H-linear Magnetoresistances in Degenerate Semiconductors PbTe and PbS, *J. Phys. Soc. Jpn.*, 88, 013704(1-5) (2019.1).
- M. Kakihana, K. Nishimura, D. Aoki, A. Nakamura, M. Nakashima, Y. Amako, T. Takeuchi, T. Kida, T. Tahara, M. Hagiwara, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Electronic States of Antiferromagnet FeSn and Pauli paramagnet CoSn, *J. Phys. Soc. Jpn.*, 88, 014705(1-6) (2019.1).
- M. Kakihana, T. D. Matsuda, R. Higashinaka, Y. Aoki, A. Nakamura, D. Aoki, H. Harima, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Superconducting and Fermi Surface Properties in Pyrite-type Compounds CuS<sub>2</sub> and CuSe<sub>2</sub>, *J. Phys. Soc. Jpn.*, 88, 014702(1-8) (2019.1).

- W. Iha, M. Kakihana, S. Matsuda, F. Honda, Y. Haga, T. Takeuchi, M. Nakashima, Y. Amako, J. Gouchi, Y. Uwatoko, **M. Hedo, T. Nakama**, Y. Ōnuki: Anomalous ferromagnetic ordering in EuCuP, *J. Alloy. Compd.*, 788, 361-366 (2019.2).
- M. Kakihana, K. Nishimura, T. Takeuchi, Y. Haga, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: Fermi Surface Properties of Semimetals YSb, LuSb, YBi, and LuBi Studied by the de Haas–van Alphen Effect, *J. Phys. Soc. Jpn.*, 88, 044712(1-11) (2019.3).
- S. Kawakatsu, M. Kakihana, M. Nakashima, Y. Amako, A. Nakamura, D. Aoki, T. Takeuchi, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: De Haas–van Alphen Experiment and Fermi Surface Properties in Field-Induced Ferromagnetic State of MnP, *J. Phys. Soc. Jpn.*, 88, 044705(1-7) (2019.3).
- T. Takeuchi, M. Kakihana, **M. Hedo, T. Nakama**, Y. Ōnuki: Magnetic Field versus Temperature Phase Diagram for  $H \parallel [001]$  in the Trillium Lattice Antiferromagnet EuPtSi, *J. Phys. Soc. Jpn.*, 88, 053703(1-5) (2019.4).
- T. Sakakibara, S. Nakamura, S. Kittaka, M. Kakihana, **M. Hedo, T. Nakama**, Y. Ōnuki: Fluctuation-Induced First-Order Transition and Tricritical Point in EuPtSi, *J. Phys. Soc. Jpn.*, 88, 093701(1-5) (2019.7).
- C. Tabata, T. Matsumura, H. Nakao, S. Michimura, M. Kakihana, T. Inami, K. Kaneko, **M. Hedo, T. Nakama**, Y. Ōnuki: Magnetic-Field Induced Triple-q Magnetic Order in the Trillium Lattice Antiferromagnet EuPtSi Studied by Resonant X-ray Scattering, *J. Phys. Soc. Jpn.*, 88, 093704(1-6) (2019.8).
- M. Kakihana, D. Aoki, A. Nakamura, F. Honda, M. Nakashima, Y. Amako, T. Takeuchi, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: Unique Magnetic Phases in the Skyrmion Lattice and Fermi Surface Properties in Cubic Chiral Antiferromagnet EuPtSi, *J. Phys. Soc. Jpn.*, 88, 094705(1-10) (2019.8).
- Y. Homma, M. Kakihana, Y. Tokunaga, **M. Yogi**, M. Nakashima, A. Nakamura, Y. Shimizu, D. X. Li, A. Maurya, Y. J. Sato, F. Honda, D. Aoki, Y. Amako, **M. Hedo, T. Nakama**, Y. Ōnuki: Magnetic Fluctuation and First-Order Transition in Trillium Lattice of EuPtSi Observed by  $^{151}\text{Eu}$  Mössbauer Spectroscopy, *J. Phys. Soc. Jpn.*, 88, 094702(1-8) (2019.8).
- T. Takeuchi, Y. Haga, T. Taniguchi, W. Iha, Y. Ashitomi, T. Yara, T. Kida, M. Hagiwara, M. Nakashima, Y. Amako, **M. Hedo, T. Nakama**, Y. Ōnuki: Spin Glass Behavior in EuCu<sub>2</sub>Si<sub>2</sub> Single Crystal Grown by the Flux Method, *J. Phys. Soc. Jpn.*, 89, 034705(1-15) (2020.1).
- S. Matsuda, J. Ota, K. Nakaima, W. Iha, J. Gouchi, Y. Uwatoko, M. Nakashima, Y. Amako, F. Honda, D. Aoki, A. Nakamura, T. Takeuchi, Y. Haga, H. Harima, **M. Hedo, T. Nakama**,

- Y. Ōnuki: Quasi-one-dimensional magnetic interactions and conduction electrons in  $\text{EuCu}_5$  and  $\text{EuAu}_5$  with the characteristic hexagonal structure, *Philos. Mag.*, 100, 1244-1257 (2020.1).
- J. Ota, W. Iha, S. Kawakatsu, M. Kakihana, D. Aoki, A. Nakamura, J. Gouchi, Y. Uwatoko, H. Harima, Y. Haga, **M. Hedo, T. Nakama**, Y. Ōnuki: De Haas–van Alphen Effect and Fermi Surface Properties of  $\text{Ti}_2\text{Sn}_3$ , *JPS Conf. Proc.*, 29, 013007(1-6) (2020.2).
- K. Nakaima, S. Kawakatsu, M. Kakihana, D. Aoki, A. Nakamura, F. Honda, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: Electronic States of  $\text{Sn}_4\text{P}_3$ : Analogue of Topological Insulator  $\text{Bi}_2\text{Se}_3$ , *JPS Conf. Proc.*, 29, 013006(1-7) (2020.2).
- K. Nakaima, S. Matsuda, W. Iha, S. Kawakatsu, M. Kakihana, T. Kida, M. Hagiwara, T. Takeuchi, D. Aoki, A. Nakamura, Jun Gouchi, Y. Uwatoko, **M. Hedo, T. Nakama**, Y. Ōnuki: Fermi Surfaces and Magnetoresistances of Dirac Conduction Electrons in  $\text{PbX}$  (X: S, Se, Te) and  $\text{AMnBi}_2$  (A = Ca, Sr), *JPS Conf. Proc.*, 29, 013005(1-7) (2020.2).
- W. Iha, S. Matsuda, M. Kakihana, T. Takeuchi, Y. Haga, J. Gouchi, Y. Uwatoko, **M. Hedo, T. Nakama**, Y. Ōnuki: Single Crystal Growth and Ferromagnetism of New Compound  $\text{EuCu}_{1+\delta}\text{P}_{1+\delta}$  ( $\delta = 0.425$ ), *JPS Conf. Proc.*, 29, 012006(1-6) (2020.2).
- T. Takeuchi, W. Iha, M. Kakihana, Y. Ashitomi, T. Kida, T. Tahara, M. Hagiwara, Y. Haga, **M. Hedo, T. Nakama**, Y. Ōnuki: Anisotropic Magnetic Phase Diagrams in  $\text{EuRh}_2\text{Si}_2$ , *JPS Conf. Proc.*, 29, 012005(1-6) (2020.2).
- S. Matsuda, W. Iha, J. Ota, K. Nakaima, J. Gouchi, Y. Uwatoko, M. Nakashima, Y. Amako, T. Takeuchi, Y. Haga, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: Magnetic and Fermi Surface Properties of  $\text{EuAu}_5$  and  $\text{EuCu}_5$ , *JPS Conf. Proc.*, 29, 012004(1-7) (2020.2).
- S. Matsuda, W. Iha, F. Honda, J. Gouchi, Y. Uwatoko, M. Nakashima, Y. Amako, T. Takeuchi, T. Kida, M. Hagiwara, **M. Hedo, T. Nakama**, Y. Ōnuki: Single Crystal Growth and Magnetic Properties of Antiferromagnets  $\text{EuGe}$  and  $\text{EuGe}_2$ , *JPS Conf. Proc.*, 29, 012003(1-7) (2020.2).
- W. Iha, S. Matsuda, F. Honda, T. Takeuchi, J. Gouchi, Y. Uwatoko, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: De Haas–van Alphen Effect and Fermi Surface Properties of Antiferromagnet  $\text{EuSnP}$ , *JPS Conf. Proc.*, 29, 012002(1-7) (2020.2).
- Y. Ōnuki, M. Kakihana, W. Iha, K. Nakaima, D. Aoki, A. Nakamura, F. Honda, M. Nakashima, Y. Amako, J. Gouchi, Y. Uwatoko, S. Nakamura, T. Sakakibara, T. Takeuchi, Y. Haga, H. Ikeda, H. Harima, **M. Hedo, T. Nakama**: Single Crystal Growth and Unique Electronic States of Cubic Chiral  $\text{EuPtSi}$  and Related Compounds, *JPS Conf. Proc.*, 29, 012001(1-9) (2020.2).

- I. Kawasaki, M. Kobata, S. Fujimori, Y. Takeda, H. Yamagami, A. Nakamura, W. Iha, **M. Hedo, T. Nakama**, Y. Ōnuki: Electronic Structure of Trivalent Compound  $\text{EuPd}_3$  Studied by Soft X-ray Angle-resolved Photoemission Spectroscopy, *J. Phys. Soc. Jpn.*, 89, 044704(1-6) (2020.3).
- J. Gouchi, K. Miyake, W. Iha, **M. Hedo, T. Nakama**, Y. Ōnuki, Y. Uwatoko: Quantum Criticality of Valence Transition for the Unique Electronic State of Antiferromagnetic Compound  $\text{EuCu}_2\text{Ge}_2$ , *J. Phys. Soc. Jpn.*, 89, 053703(1-5) (2020.3).
- T. Kagayama, W. Matsuda, K. Shimizu, A. Nakamura, **M. Hedo, T. Nakama**, Y. Ōnuki: Antiferromagnetism and Valence Fluctuation of  $\text{EuCd}_{11}$  at High Pressure, *JPS Conf. Proc.*, 30, 011135(1-5) (2020.3).
- R. Shimokasa, N. Kawamura, T. Kawabata, G. Isumi, T. Uozumi, A. Mitsuda, H. Wada, F. Honda, **M. Hedo, T. Nakama**, Y. Ōnuki, M. Mizumaki, K. Mimura: Electronic Structure of the Valence Transition System  $\text{Eu}(\text{Rh}_{1-x}\text{T}_x)_2\text{Si}_2$  ( $\text{T} = \text{Co}, \text{Ir}$ ) Studied by High-Energy Resolution Fluorescence Detection X-Ray Absorption Spectroscopy, *JPS Conf. Proc.*, 30, 011134(1-6) (2020.3).
- W. Iha, S. Matsuda, M. Kakihana, D. Aoki, A. Nakamura, M. Nakashima, Y. Amako, T. Takeuchi, M. Kimata, Y. Otani, **M. Hedo, T. Nakama**, Y. Ōnuki: Anomalous Hall Effect in Antiferromagnet  $\text{EuNiGe}_3$  with the Rashba-type Tetragonal Structure, *JPS Conf. Proc.*, 30, 011092(1-6) (2020.3).
- J. Ota, M. Kakihana, K. Nakaima, S. Matsuda, T. Kida, M. Hagiwara, M. Nakashima, Y. Amako, D. Aoki, A. Nakamura, F. Honda, Y. Haga, H. Harima, **M. Hedo, T. Nakama**, Y. Ōnuki: Single Crystal Growth and Electronic Properties of  $\text{Mn}_2\text{P}$  and  $\text{Fe}_2\text{P}$ , *JPS Conf. Proc.*, 30, 011087(1-6) (2020.3).
- Y. Ōnuki, M. Kakihana, W. Iha, K. Nakaima, D. Aoki, A. Nakamura, F. Honda, M. Nakashima, Y. Amako, J. Gouchi, Y. Uwatoko, S. Nakamura, T. Sakakibara, T. Takeuchi, Y. Haga, H. Ikeda, H. Harima, **M. Hedo, T. Nakama**: Unique Skyrmion Phases and Conduction Electrons in Cubic Chiral Antiferromagnet  $\text{EuPtSi}$  and Related Compounds, *JPS Conf. Proc.*, 30, 011008(1-11) (2020.3).
- T. Takeuchi, M. Kakihana, **M. Hedo, T. Nakama**, Y. Ōnuki: Angle Dependence of the Magnetic Phase Diagram in Cubic Chiral Antiferromagnet  $\text{EuPtSi}$ , *J. Phys. Soc. Jpn.*, 89, 093703(1-5) (2020.8).
- P. Proschek, J. Prchal, M. Diviš, J. Prokleška, K. Vlášková, J. Valenta, J. Zubáč, J. Kaštil, **M. Hedo, T. Nakama**, Y. Ōnuki, F. Honda: Weakly anisotropic ferromagnet  $\text{EuRu}_2\text{P}_2$ : ambient and hydrostatic pressure characterization, *J. Alloy. Compd.*, 864, 158753 (1-6) (2021.1).

- T. Takeuchi, T. Tahara, T. Kida, Y. Narumi, M. Hagiwara, K. Kindo, W. Iha, Y. Ashitomi, T. Yara, M. Nakashima, Y. Amako, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Magnetization Process in  $\text{EuCo}_2\text{P}_2$  and  $\text{EuT}_2\text{Ge}_2$  (T: transition metal): Comparison of Experiment and Theory, *J. Phys. Soc. Jpn.*, 90, 034709 (1-15) (2021.2).
- Y. Ivanov, A. A. Levin, S. Novikov, D. Pshenay-Severin, M. Volkov, A. Zyuzin, A. Burkov, **T. Nakama**, L. Schnatmann, H. Reith, K. Nielsch: Low-temperature thermal conductivity of thermoelectric  $\text{Co}_{1-x}\text{M}_x\text{Si}$  (M = Fe, Ni) alloys, *Mater. Today Energy*, 20, 100666 (1-9) (2021.2).
- T. Sakakibara, S. Nakamura, S. Kittaka, M. Kakihana, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Magnetic Phase Transitions of the 4f Skyrmion Compound  $\text{EuPtSi}$  Studied by Magnetization Measurements, *J. Phys. Soc. Jpn.*, 90, 064701 (1-8) (2021.5).
- K. Kaneko, T. Kawasaki, A. Nakamura, K. Munakata, A. Nakao, T. Hanashima, R. Kiyonagi, T. Ohhara, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Charge-Density-Wave Order and Multiple Magnetic Transitions in Divalent Europium Compound  $\text{EuAl}_4$ , *J. Phys. Soc. Jpn.*, 90, 064704 (1-6) (2021.6).
- I. Kawasaki, M. Kobata, S.-i. Fujimori, Y. Takeda, H. Yamagami, **M. Hedo**, **T. Nakama**, Y. Ōnuki: Electronic structure of the intermediate-valence compound  $\text{EuNi}_2\text{P}_2$  studied by soft x-ray photoemission spectroscopy, *Phys. Rev. B*, 104, 165124 (1-7) (2021.10).